



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
<http://www.cctestinglabs.com>  
Lic# C8-0000068-LIC

Regulatory Compliance Testing

1 of 4

## CBDfx Muscle and Joint Cream 1000mg

Sample ID: 2004CCT1242.3173  
Strain: CBDfx Muscle and Joint Cream  
Matrix: Topical  
Type: Salve  
Sample Size: 8 units; Batch:

Produced:  
Collected: 04/24/2020  
Received: 04/24/2020  
Completed: 04/28/2020  
Batch#: SVPO-1000

Client  
**CBD FX**  
Lic. #  
19801 Nordhoff Place #105  
Chatsworth, CA 91311

CCTL-RD-3024 3025



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 04/28/2020  | Complete |
| Residual Solvents | 04/28/2020  | Pass     |
| Microbials        | 04/27/2020  | Pass     |
| Mycotoxins        | 04/28/2020  | Pass     |
| Pesticides        | 04/28/2020  | Pass     |
| Heavy Metals      | 04/26/2020  | Pass     |
| Foreign Matter    | 04/27/2020  | Pass     |

### Cannabinoids

Complete

| ND        |        |        | 1,030.205 mg/serving |        |            | 1,047.040 mg/serving |  |  |
|-----------|--------|--------|----------------------|--------|------------|----------------------|--|--|
| Total THC |        |        | Total CBD            |        |            | Total Cannabinoids   |  |  |
| Analyte   | LOQ    | LOD    | Result               | Result | Result     | Result               |  |  |
|           | %      | %      | %                    | mg/g   | mg/serving | mg/container         |  |  |
| THCa      | 0.0054 | 0.0018 | ND                   | ND     | ND         | ND                   |  |  |
| Δ9-THC    | 0.0070 | 0.0023 | ND                   | ND     | ND         | ND                   |  |  |
| Δ8-THC    | 0.0064 | 0.0021 | ND                   | ND     | ND         | ND                   |  |  |
| THCV      | 0.0062 | 0.0021 | ND                   | ND     | ND         | ND                   |  |  |
| CBDa      | 0.0054 | 0.0018 | ND                   | ND     | ND         | ND                   |  |  |
| CBD       | 0.0062 | 0.0021 | 2.060                | 20.60  | 1030.205   | 1030.205             |  |  |
| CBDV      | 0.0066 | 0.0022 | ND                   | ND     | ND         | ND                   |  |  |
| CBN       | 0.0058 | 0.0019 | ND                   | ND     | ND         | ND                   |  |  |
| CBGa      | 0.0066 | 0.0022 | ND                   | ND     | ND         | ND                   |  |  |
| CBG       | 0.0061 | 0.0020 | 0.034                | 0.34   | 16.835     | 16.835               |  |  |
| CBC       | 0.0068 | 0.0022 | ND                   | ND     | ND         | ND                   |  |  |
| Total THC |        |        | ND                   | ND     | ND         | ND                   |  |  |
| Total CBD |        |        | 2.060                | 20.60  | 1030.205   | 1030.205             |  |  |
| Total     |        |        | 2.094                | 20.94  | 1047.040   | 1047.040             |  |  |

1 Unit = 50g, 1 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: HPLC UV-DAD; Method: CCTL-PM002.

Not Required

Moisture Content

Moisture Analyzer

Not Required

Water Activity

Rotronic AwTherm

Pass

Foreign Matter

Intertek Magnifier Lamp



*S. M. Angeri*

Satish Annigeri  
Scientific Director  
04/28/2020

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestlabs.com  
Lic# C8-0000068-LIC

Regulatory Compliance Testing

2 of 4

## CBDfx Muscle and Joint Cream 1000mg

Sample ID: 2004CCT1242.3173  
Strain: CBDfx Muscle and Joint Cream  
Matrix: Topical  
Type: Salve  
Sample Size: 8 units; Batch:

Produced:  
Collected: 04/24/2020  
Received: 04/24/2020  
Completed: 04/28/2020  
Batch#: SVPO-1000

Client  
**CBD FX**  
Lic. #  
19801 Nordhoff Place #105  
Chatsworth, CA 91311

CCTL-RD-3024 3025

### Pesticides

Pass

| Analyte             | LOD   | LOQ   | Limit | Mass | Status | Analyte                 | LOD   | LOQ   | Limit | Mass | Status |
|---------------------|-------|-------|-------|------|--------|-------------------------|-------|-------|-------|------|--------|
|                     | µg/g  | µg/g  | µg/g  | µg/g |        |                         | µg/g  | µg/g  | µg/g  | µg/g |        |
| Abamectin           | 0.04  | 0.078 | 0.3   | ND   | Pass   | Fludioxonil             | 0.02  | 0.078 | 30    | ND   | Pass   |
| Acephate            | 0.005 | 0.078 | 5     | ND   | Pass   | Hexythiazox             | 0.005 | 0.078 | 2     | ND   | Pass   |
| Acequinocyl         | 0.04  | 0.078 | 4     | ND   | Pass   | Imazalil                | 0.005 | 0.078 | 0.005 | ND   | Pass   |
| Acetamiprid         | 0.005 | 0.078 | 5     | ND   | Pass   | Imidacloprid            | 0.005 | 0.078 | 3     | ND   | Pass   |
| Aldicarb            | 0.005 | 0.078 | 0.005 | ND   | Pass   | Kresoxim Methyl         | 0.005 | 0.078 | 1     | ND   | Pass   |
| Azoxystrobin        | 0.02  | 0.078 | 40    | ND   | Pass   | Malathion               | 0.039 | 0.078 | 5     | ND   | Pass   |
| Bifenazate          | 0.005 | 0.078 | 5     | ND   | Pass   | Metalaxyl               | 0.005 | 0.078 | 15    | ND   | Pass   |
| Bifenthrin          | 0.01  | 0.078 | 0.5   | ND   | Pass   | Methiocarb              | 0.005 | 0.078 | 0.005 | ND   | Pass   |
| Boscalid            | 0.005 | 0.078 | 10    | ND   | Pass   | Methomyl                | 0.005 | 0.078 | 0.1   | ND   | Pass   |
| Captan              | 0.3   | 0.4   | 5     | ND   | Pass   | Mevinphos               | 0.005 | 0.078 | 0.005 | ND   | Pass   |
| Carbaryl            | 0.005 | 0.078 | 0.5   | ND   | Pass   | Myclobutanil            | 0.005 | 0.078 | 9     | ND   | Pass   |
| Carbofuran          | 0.005 | 0.078 | 0.005 | ND   | Pass   | Naled                   | 0.005 | 0.078 | 0.5   | ND   | Pass   |
| Chlorantraniliprole | 0.005 | 0.078 | 40    | ND   | Pass   | Oxamyl                  | 0.005 | 0.078 | 0.2   | ND   | Pass   |
| Chlordane           | 0.005 | 0.078 | 0.005 | ND   | Pass   | Paclobutrazol           | 0.005 | 0.078 | 0.005 | ND   | Pass   |
| Chlorfenapyr        | 0.01  | 0.078 | 0.01  | ND   | Pass   | Parathion Methyl        | 0.02  | 0.078 | 0.02  | ND   | Pass   |
| Chlorpyrifos        | 0.02  | 0.078 | 0.02  | ND   | Pass   | Pentachloronitrobenzene | 0.005 | 0.078 | 0.2   | ND   | Pass   |
| Clofentezine        | 0.005 | 0.078 | 0.5   | ND   | Pass   | Permethrin              | 0.02  | 0.078 | 20    | ND   | Pass   |
| Coumaphos           | 0.01  | 0.078 | 0.01  | ND   | Pass   | Phosmet                 | 0.005 | 0.078 | 0.2   | ND   | Pass   |
| Cyfluthrin          | 0.3   | 0.6   | 1     | ND   | Pass   | Piperonyl Butoxide      | 0.005 | 0.078 | 8     | ND   | Pass   |
| Cypermethrin        | 0.15  | 0.3   | 1     | ND   | Pass   | Prallethrin             | 0.03  | 0.078 | 0.4   | ND   | Pass   |
| Daminozide          | 0.036 | 0.078 | 0.036 | ND   | Pass   | Propiconazole           | 0.005 | 0.078 | 20    | ND   | Pass   |
| Diazinon            | 0.005 | 0.078 | 0.2   | ND   | Pass   | Propoxur                | 0.005 | 0.078 | 0.005 | ND   | Pass   |
| Dichlorvos          | 0.039 | 0.078 | 0.039 | ND   | Pass   | Pyrethrins              | 0.05  | 0.1   | 1     | ND   | Pass   |
| Dimethoate          | 0.005 | 0.078 | 0.005 | ND   | Pass   | Pyridaben               | 0.005 | 0.078 | 3     | ND   | Pass   |
| Dimethomorph        | 0.078 | 0.313 | 20    | ND   | Pass   | Spinetoram              | 0.005 | 0.078 | 3     | ND   | Pass   |
| Ethoprophos         | 0.005 | 0.078 | 0.005 | ND   | Pass   | Spinosad                | 0.005 | 0.078 | 3     | ND   | Pass   |
| Etofenprox          | 0.005 | 0.078 | 0.005 | ND   | Pass   | Spiromesifen            | 0.005 | 0.078 | 12    | ND   | Pass   |
| Etoazole            | 0.005 | 0.078 | 1.5   | ND   | Pass   | Spirotetramat           | 0.005 | 0.078 | 13    | ND   | Pass   |
| Fenhexamid          | 0.015 | 0.078 | 10    | ND   | Pass   | Spiroxamine             | 0.005 | 0.078 | 0.005 | ND   | Pass   |
| Fenoxycarb          | 0.005 | 0.078 | 0.005 | ND   | Pass   | Tebuconazole            | 0.005 | 0.078 | 2     | ND   | Pass   |
| Fenpyroximate       | 0.005 | 0.078 | 2     | ND   | Pass   | Thiacloprid             | 0.005 | 0.078 | 0.005 | ND   | Pass   |
| Fipronil            | 0.005 | 0.078 | 0.005 | ND   | Pass   | Thiamethoxam            | 0.005 | 0.078 | 4.5   | ND   | Pass   |
| Flonicamid          | 0.005 | 0.078 | 2     | ND   | Pass   | Trifloxystrobin         | 0.005 | 0.078 | 30    | ND   | Pass   |

Date Tested: 04/28/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS).



*S. M. Annigeri*

Satish Annigeri  
Scientific Director  
04/28/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# C8-0000068-LIC

Regulatory Compliance Testing

3 of 4

## CBDfx Muscle and Joint Cream 1000mg

Sample ID: 2004CCT1242.3173  
Strain: CBDfx Muscle and Joint Cream  
Matrix: Topical  
Type: Salve  
Sample Size: 8 units; Batch:

Produced:  
Collected: 04/24/2020  
Received: 04/24/2020  
Completed: 04/28/2020  
Batch#: SVPO-1000

Client  
**CBD FX**  
Lic. #  
19801 Nordhoff Place #105  
Chatsworth, CA 91311

CCTL-RD-3024 3025

### Microbials

Pass

| Analyte                       | Result             | Status |
|-------------------------------|--------------------|--------|
| Aspergillus flavus            | Not Detected in 1g | Pass   |
| Aspergillus fumigatus         | Not Detected in 1g | Pass   |
| Aspergillus niger             | Not Detected in 1g | Pass   |
| Aspergillus terreus           | Not Detected in 1g | Pass   |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass   |
| Salmonella SPP                | Not Detected in 1g | Pass   |

Date Tested: 04/27/2020

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012.

### Mycotoxins

Pass

| Analyte          | LOD    | LOQ    | Limit | Units | Status |
|------------------|--------|--------|-------|-------|--------|
|                  | µg/kg  | µg/kg  | µg/kg | µg/kg |        |
| B1               | 0.0049 | 0.0098 | 20    | ND    | Pass   |
| B2               | 0.0049 | 0.0098 | 20    | ND    | Pass   |
| G1               | 0.0049 | 0.0098 | 20    | ND    | Pass   |
| G2               | 0.0049 | 0.0098 | 20    | ND    | Pass   |
| Total Aflatoxins | 0.0049 | 0.0098 | 20    | ND    | Pass   |
| Ochratoxin A     | 0.0049 | 0.039  | 20    | ND    | Pass   |

Date Tested: 04/28/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS; Method: CCTL-PM020.

### Heavy Metals

Pass

| Analyte | LOD         | LOQ        | Limit | Units       | Status |
|---------|-------------|------------|-------|-------------|--------|
|         | µg/g        | µg/g       | µg/g  | µg/g        |        |
| Arsenic | 0.0000218   | 0.00006606 | 1.5   | 0.005100946 | Pass   |
| Cadmium | 0.000008009 | 0.00002427 | 0.5   | 0.000527930 | Pass   |
| Lead    | 0.000004141 | 0.00001255 | 0.5   | 0.075286357 | Pass   |
| Mercury | 0.000002323 | 0.00000704 | 3     | 0.000049922 | Pass   |

Date Tested: 04/26/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: ICP-MS; Method: CCTL-PM005.



*S. M. Annigeri*

Satish Annigeri  
Scientific Director  
04/28/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
<http://www.cctestinglabs.com>  
Lic# C8-0000068-LIC

Regulatory Compliance Testing

4 of 4

## CBDfx Muscle and Joint Cream 1000mg

Sample ID: 2004CCT1242.3173  
Strain: CBDfx Muscle and Joint Cream  
Matrix: Topical  
Type: Salve  
Sample Size: 8 units; Batch:

Produced:  
Collected: 04/24/2020  
Received: 04/24/2020  
Completed: 04/28/2020  
Batch#: SVPO-1000

Client  
**CBD FX**  
Lic. #  
19801 Nordhoff Place #105  
Chatsworth, CA 91311

CCTL-RD-3024 3025

### Residual Solvents

Pass

| Analyte             | LOD   | LOQ   | Limit | Mass | Status |
|---------------------|-------|-------|-------|------|--------|
|                     | µg/g  | µg/g  | µg/g  | µg/g |        |
| 1,2-Dichloro-Ethane | 0.05  | 0.1   | 1     | ND   | Pass   |
| Acetone             | 0.1   | 0.2   | 5000  | ND   | Pass   |
| Acetonitrile        | 0.1   | 0.2   | 410   | ND   | Pass   |
| Benzene             | 0.05  | 0.1   | 1     | ND   | Pass   |
| Butane              | 0.25  | 0.625 | 5000  | ND   | Pass   |
| Chloroform          | 0.125 | 0.25  | 1     | ND   | Pass   |
| Ethanol             | 0.1   | 0.2   | 5000  | ND   | Pass   |
| Ethyl-Acetate       | 0.1   | 0.2   | 5000  | ND   | Pass   |
| Ethyl-Ether         | 0.1   | 0.2   | 5000  | ND   | Pass   |
| Ethylene Oxide      | 0.1   | 0.2   | 1     | ND   | Pass   |
| Heptane             | 0.25  | 0.625 | 5000  | ND   | Pass   |
| Isopropanol         | 0.1   | 0.2   | 5000  | ND   | Pass   |
| Methanol            | 0.1   | 0.2   | 3000  | ND   | Pass   |
| Methylene-Chloride  | 0.125 | 0.25  | 1     | ND   | Pass   |
| n-Hexane            | 0.125 | 0.25  | 290   | ND   | Pass   |
| Pentane             | 0.25  | 0.625 | 5000  | ND   | Pass   |
| Propane             | 1     | 5     | 5000  | ND   | Pass   |
| Toluene             | 1     | 5     | 890   | ND   | Pass   |
| Trichloroethene     | 0.05  | 0.1   | 1     | ND   | Pass   |
| Xylenes             | 0.25  | 0.625 | 2170  | ND   | Pass   |

Date Tested: 04/28/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: GC; Method: CCTL-PM010.



*S. M. Annigeri*

Satish Annigeri  
Scientific Director  
04/28/2020

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.