



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
<http://www.cctestinglabs.com>
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

1 of 4

Bath Bomb- Recharge 200 mg

Sample ID: 2009CCT3094.7897
Strain: Bath Bomb- Recharge 200 mg
Matrix: Topical
Type: Other
Sample Size: ; Batch:

Produced:
Collected:
Received: 09/30/2020
Completed: 10/01/2020
Batch#: SVP0506-RG

Client
CBD FX
Lic. #
19801 Nordhoff Place #105
Chatsworth, CA 91311

CCTL-RD-5237



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/30/2020	Complete
Residual Solvents	09/30/2020	Pass
Microbials	09/30/2020	Pass
Mycotoxins	09/30/2020	Pass
Pesticides	09/30/2020	Pass
Heavy Metals	09/30/2020	Pass
Foreign Matter	09/30/2020	Pass

Cannabinoids

Complete

ND	200.788 mg/container	200.788 mg/container
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Result mg/unit	Result mg/g	Result mg/serving	Result mg/container
THCa	0.00005000	0.0001000	ND	ND	ND	ND
Δ9-THC	0.00005000	0.0001000	ND	ND	ND	ND
Δ8-THC	0.00005000	0.0001000	ND	ND	ND	ND
THCV	0.00005000	0.0001000	ND	ND	ND	ND
CBDa	0.00005000	0.0001000	ND	ND	ND	ND
CBD	0.00005000	0.0001000	200.788	1.414	200.788	200.788
CBDV	0.00005000	0.0001000	ND	ND	ND	ND
CBN	0.00005000	0.0001000	ND	ND	ND	ND
CBGa	0.00005000	0.0001000	ND	ND	ND	ND
CBG	0.00005000	0.0001000	ND	ND	ND	ND
CBC	0.00005000	0.0001000	ND	ND	ND	ND
Total THC			ND	ND	ND	ND
Total CBD			200.788	1.414	200.788	200.788
Total			200.788	1.414	200.788	200.788

Date Tested: 09/30/2020

1 Unit = 142g. 1 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: HPLC UV-DAD; Method: CCTL-PM002. Samples were collected as per 16 CCR Section 5707

Not Required

Moisture Content

Moisture Analyzer

Not Required

Water Activity

Rotronic AwTherm

Pass

Foreign Matter

Intertek Magnifier Lamp



S. M. Anneri

Satish Anneri
Scientific Director
10/01/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

2 of 4

Bath Bomb- Recharge 200 mg

Sample ID: 2009CCT3094.7897
Strain: Bath Bomb- Recharge 200 mg
Matrix: Topical
Type: Other
Sample Size: ; Batch:

Produced:
Collected:
Received: 09/30/2020
Completed: 10/01/2020
Batch#: SVP0506-RG

Client
CBD FX
Lic. #
19801 Nordhoff Place #105
Chatsworth, CA 91311

CCTL-RD-5237

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.006176	0.01235	0.1	ND	Pass	Fludioxonil	0.006176	0.01235	0.1	ND	Pass
Acephate	0.006176	0.01235	0.1	ND	Pass	Hexythiazox	0.006176	0.01235	0.1	ND	Pass
Acequinocyl	0.0125	0.025	0.1	ND	Pass	*Imazalil	0.006176	0.01235	0.006176	ND	Pass
Acetamiprid	0.006176	0.01235	0.1	ND	Pass	Imidacloprid	0.006176	0.01235	5	ND	Pass
*Aldicarb	0.006176	0.01235	0.006176	ND	Pass	Kresoxim Methyl	0.006176	0.01235	0.1	ND	Pass
Azoxystrobin	0.006176	0.01235	0.1	ND	Pass	Malathion	0.006176	0.01235	0.5	ND	Pass
Bifenazate	0.006176	0.01235	0.1	ND	Pass	Metalaxyl	0.006176	0.01235	2	ND	Pass
Bifenthrin	0.025	0.05	3	ND	Pass	*Methiocarb	0.006176	0.01235	0.006176	ND	Pass
Boscalid	0.006176	0.01235	0.1	ND	Pass	Methomyl	0.006176	0.01235	1	ND	Pass
Captan	0.2515	0.503	0.7	ND	Pass	*Mevinphos	0.006176	0.01235	0.006176	ND	Pass
Carbaryl	0.006176	0.01235	0.5	ND	Pass	Myclobutanil	0.006176	0.01235	0.1	ND	Pass
*Carbofuran	0.006176	0.01235	0.006176	ND	Pass	Naled	0.006176	0.01235	0.1	ND	Pass
Chlorantraniliprole	0.006176	0.01235	10	ND	Pass	Oxamyl	0.006176	0.01235	0.5	ND	Pass
*Chlordane	0.0314	0.0628	0.0314	ND	Pass	*Paclobutrazol	0.006176	0.01235	0.006176	ND	Pass
*Chlorfenapyr	0.0314	0.0628	0.0314	ND	Pass	*Parathion Methyl	0.032	0.064	0.032	ND	Pass
*Chlorpyrifos	0.006176	0.01235	0.006176	ND	Pass	Pentachloronitrobenzene	0.032	0.064	0.1	ND	Pass
Clofentezine	0.006176	0.01235	0.1	ND	Pass	Permethrin	0.025	0.05	0.5	ND	Pass
*Coumaphos	0.006176	0.01235	0.006176	ND	Pass	Phosmet	0.006176	0.01235	0.1	ND	Pass
Cyfluthrin	0.0247	0.0494	2	ND	Pass	Piperonyl Butoxide	0.006176	0.01235	3	ND	Pass
Cypermethrin	0.01235	0.0247	1	ND	Pass	Prallethrin	0.006176	0.01235	0.1	ND	Pass
*Daminozide	0.006176	0.01235	0.006176	ND	Pass	Propiconazole	0.006176	0.01235	0.1	ND	Pass
Diazinon	0.006176	0.01235	0.1	ND	Pass	*Propoxur	0.006176	0.01235	0.006176	ND	Pass
*Dichlorvos	0.006176	0.01235	0.006176	ND	Pass	Pyrethrins	0.03124	0.0625	0.5	ND	Pass
*Dimethoate	0.006176	0.01235	0.006176	ND	Pass	Pyridaben	0.006176	0.01235	0.1	ND	Pass
Dimethomorph	0.006176	0.01235	2	ND	Pass	Spinetoram	0.006176	0.01235	0.1	ND	Pass
*Ethoprophos	0.006176	0.01235	0.006176	ND	Pass	Spinosad	0.012352	0.0247	0.1	ND	Pass
*Etofenprox	0.006176	0.01235	0.006176	ND	Pass	Spiromesifen	0.006176	0.01235	0.1	ND	Pass
Etoazole	0.006176	0.01235	0.1	ND	Pass	Spirotetramat	0.006176	0.01235	0.1	ND	Pass
Fenhexamid	0.006176	0.01235	0.1	ND	Pass	*Spiroxamine	0.006176	0.01235	0.006176	ND	Pass
*Fenoxycarb	0.0125	0.025	0.0125	ND	Pass	Tebuconazole	0.006176	0.01235	0.1	ND	Pass
Fenpyroximate	0.006176	0.01235	0.1	ND	Pass	*Thiacloprid	0.006176	0.01235	0.006176	ND	Pass
*Fipronil	0.006176	0.01235	0.006176	ND	Pass	Thiamethoxam	0.006176	0.01235	5	ND	Pass
Flonicamid	0.006176	0.01235	0.1	ND	Pass	Trifloxystrobin	0.006176	0.01235	0.1	ND	Pass

Date Tested: 09/30/2020

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS). Samples were collected as per 16 CCR Section 5707. * Category I residual pesticides



P. M. Annigeri

Satish Annigeri
Scientific Director
10/01/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
<http://www.cctestinglabs.com>
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

3 of 4

Bath Bomb- Recharge 200 mg

Sample ID: 2009CCT3094.7897
Strain: Bath Bomb- Recharge 200 mg
Matrix: Topical
Type: Other
Sample Size: ; Batch:

Produced:
Collected:
Received: 09/30/2020
Completed: 10/01/2020
Batch#: SVP0506-RG

Client
CBD FX
Lic. #
19801 Nordhoff Place #105
Chatsworth, CA 91311

CCTL-RD-5237

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 09/30/2020

TNTC = Too Numerous to Count; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012. Samples were collected as per 16 CCR Section 5707.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.54	3.088	20	ND	Pass
B2	3.088	6.16	20	ND	Pass
G1	1.54	3.088	20	ND	Pass
G2	1.54	3.088	20	ND	Pass
Total Aflatoxins	7.708	15.42	20	ND	Pass
Ochratoxin A	6.16	12.32	20	ND	Pass

Date Tested: 09/30/2020

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS; Method: CCTL-PM020. Samples were collected as per 16 CCR Section 5707.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.016190454	0.1	0.2	<LOQ	Pass
Cadmium	0.017157262	0.1	0.2	ND	Pass
Lead	0.014850831	0.1	0.5	<LOQ	Pass
Mercury	0.008172028	0.02	0.1	ND	Pass

Date Tested: 09/30/2020

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: ICP-MS; Method: CCTL-PM005. Samples were collected as per 16 CCR Section 5707.



S. Annigeri

Satish Annigeri
Scientific Director
10/01/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
<http://www.cctestinglabs.com>
Lic# C8-0000068-LIC
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

4 of 4

Bath Bomb- Recharge 200 mg

Sample ID: 2009CCT3094.7897
Strain: Bath Bomb- Recharge 200 mg
Matrix: Topical
Type: Other
Sample Size: ; Batch:

Produced:
Collected:
Received: 09/30/2020
Completed: 10/01/2020
Batch#: SVP0506-RG

Client
CBD FX
Lic. #
19801 Nordhoff Place #105
Chatsworth, CA 91311

CCTL-RD-5237

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
*1-2-Dichloro-Ethane	0.50	1.00	1.00	ND	Pass
Acetone	10.00	20.00	5000.00	ND	Pass
Acetonitrile	10.00	20.00	410.00	ND	Pass
*Benzene	0.50	1.00	1.00	ND	Pass
Butane	10.00	20.00	5000.00	ND	Pass
*Chloroform	0.50	1.00	1.00	ND	Pass
Ethanol	10.00	20.00	5000.00	ND	Pass
Ethyl-Acetate	10.00	20.00	5000.00	ND	Pass
Ethyl-Ether	10.00	20.00	5000.00	ND	Pass
*Ethylene Oxide	0.50	1.00	1.00	ND	Pass
Heptane	10.00	20.00	5000.00	ND	Pass
Isopropanol	10.00	20.00	5000.00	ND	Pass
Methanol	10.00	20.00	3000.00	ND	Pass
Methylene-Chloride	0.50	1.00	1.00	ND	Pass
n-Hexane	10.00	20.00	290.00	ND	Pass
Pentane	10.00	20.00	5000.00	ND	Pass
Propane	10.00	20.00	5000.00	ND	Pass
Toluene	10.00	50.00	890.00	ND	Pass
*Trichloroethene	0.50	1.00	1.00	ND	Pass
Xylenes	40.00	100.00	2170.00	ND	Pass

Date Tested: 09/30/2020

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: GC; Method: CCTL-PM010. Samples were collected as per 16 CCR Section 5707. * Category I residual solvents



S. M. Angeri

Satish Annigeri
Scientific Director
10/01/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.